

Material Safety Data Sheet

1. Identification of product and manufacturer

Product Name: Aquafix Quick Wrap
Product Reference: P30 Roll
Converted & distributed by: PSP Marine Tapes Limited
Contact: +44 (0) 1489 581811 www.admiralpsp.co.uk

2. Composition

Chemical Name	CAS #	%
Natural Resin Substance	65997-17-3	
A community, exposure limit on the workforce applies		50-100
Phenol, 4-methyl	68610-51-5	
Reaction products with dicyclopentadiene and isobutylene aquatic chronic 4, H413 ≤		2.5

3. Hazard identification

Classification according to Regulation (EC) No 1272/2008
The product is not classified according to the CLP Regulation

4. First aid measures

Eyes:	Flush with plenty of water.
Skin:	Generally the product is not irritating to the skin
Ingestion:	Do not induce vomit, seek medical advice.
Inhalation:	Expose to fresh air.

5. Fire fighting measures

Extinguishing media:	CO2, extinguishing powder, water jet or foam resistant to alcohol
Precautions:	Use personal protective clothing, no special measures required

6. Accidental release measures

Take appropriate measures to avoid environmental contamination.

7. Handling and storage

No special measures required
Store in cool dry place. Wash hands after use.

8. Exposure control

Control parameters:	Components with limit values that must be observed in the work space to become: 9006-04-6 natural rubber GW (BE-NL) Long term value: 0.001mg/m ³
Hand protection:	The glove material must be impermeable and resistant to the product, substance, preparation. No recommendation for the glove material is available. The product chemical mixture will be released. Choose glove material taking into account the penetration times, the permeation rates and degradation. The choice of glove depends not only on the material but also other quality features. The glove is made from several substances, the durability of the glove materials is not predefinable and should therefore be tested before use.

9. Physical and chemical properties

Parameter	Value
Form:	Solid
Appearance:	Coloured
Vapor pressure:	At 20°C : 23 hPa
Density:	At 20°C : 0.96g/cm ³
Viscosity dynamic:	At 20°C : 10000 mPas
pH value:	At 20°C : 10

Material Safety Data Sheet

10. Stability and reactivity

Stability:	Stable under normal conditions.
Thermal decomposition:	No decomposition
Possible hazardous reactions:	No dangerous reactions known
Chemically interacting materials:	None known

11. Toxicological information

May cause irritation.

12. Ecological information

Do not discharge large quantities into groundwater, surface water or into the sewer system.

13. Disposal consideration

This product is not classified as dangerous for disposal

14. Transport information

This product is not classified as dangerous for transport purposes

15. Regulatory information

Specific safety, health and environmental regulations and legislation for the substance or mixture Directive 2012/18/EU. Hazardous substances called by name - ANNEX I. None of the ingredients are on the list.

16. Other information

This information is based on our current level of knowledge and relates to the product in the form in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties

PSP Marine Tapes Limited

Duncan Road

Park Gate

Southampton

SO31 7GA

United Kingdom 0044(0)1489 581811

